



# SAFETY DATA SHEET

Issuing Date 27-Jan 2017

Revision Date 27-Jan 2017

Revision Number 1

## 1. IDENTIFICATION

### GHS Product Identifier

J-B WELD EPOXY STEEL – PART B – SLOW CURE

### J-B Weld FG SKU Part Numbers Covered (Part B)

8265AUS, 8272AUS, 8280AUS, 8281AUS

### Australia Contact Information

J-B Weld Distributor: HPP Lunds  
Address: 1/195 Jackson Rd, Sunnybank Hills Qld 4109  
Telephone: 1300 306 781

### New Zealand Contact Information

J-B Weld Distributor: Griffith Equipment Ltd.  
Address: 22-24 Olive Rd., Penrose, Auckland New Zealand 1061  
Telephone: +64 9 5254577

### Emergency Phone Number

For advice in an emergency, **In Australia contact** a Poisons Information Centre 13 11 26 or **In New Zealand contact** NZ Poisons Centre 0800 poison (0800 764 7667) or a doctor at once.

### Company Name

J-B Weld Company LLC, USA

### Address

1130 Como Street, Sulphur Springs TX 75482-4502, United States  
Telephone: 011 903 885 7696

## 2. HAZARD IDENTIFICATION

### GHS classification of the substance/mixture

Not classified as Hazardous according to the Globally Harmonized System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7<sup>th</sup> edition)

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Ingredients

Name	CAS	Proportion
Talc	14807-96-6	30-60%
Formaldehyde, polymer with benzenamine, hydrogenated	135108-88-2	<10%
1,2-Cyclohexanediamine	694-83-7	<10%
Polyethylene polyamine, Dimer Fatty Acid Condensate	68410-23-1	<10%
Cyclohexanamine, 4,4'-methylenebis-	1761-71-3	<10%
Fiberglass	65997-17-3	<10%
Titanium dioxide	13463-67-7	<10%
2,4,6-Tri(dimethylaminomethyl) phenol	90-72-2	<10%
Triethylenetetramine	112-24-3	<1%
2,4,6-tris(dimethylaminophenol	71074-89-0	<1%
Ingredients determined not to be hazardous		Balance

## 4. FIRST-AID MEASURES

### Inhalation

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.



**Ingestion**

Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.

**Skin**

Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.

**Eye contact**

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and/or persist seek medical attention.

**First Aid Facilities**

Eyewash and normal washroom facilities.

**Advice to Doctor**

Treat symptomatically.

**Other Information**

For advice in an emergency, contact a Poisons Information Centre (Phone Australia 13 11 26) or a doctor at once.

**Emergency Phone Number**

For advice in an emergency, **In Australia contact** a Poisons Information Centre 13 11 26 or **In New Zealand contact** NZ Poisons Centre 0800 poison (0800 764 7667) or a doctor at once.

## 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media**

Carbon dioxide, dry chemical or foam.

**Hazards from Combustion Products**

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen.

**Specific Hazards Arising from the Chemical**

This product will burn and/or decompose if exposed to fire.

**Decomposition Temperature**

Not available

**Precautions in connection with Fire**

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

## 6. ACCIDENTAL RELEASE MEASURES

**Emergency Procedures**

Increase ventilation. Wear appropriate personal protective equipment and clothing to prevent exposure. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

## 7. HANDLING AND STORAGE

**Precautions for Safe Handling**

Avoid inhalation of dusts, vapours and fumes, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the buildup of dusts, fumes or vapours in the work atmosphere. Do not use near ignition sources. Maintain high standards of personal hygiene by washing hands prior to eating, drinking, smoking or using toilet facilities.



**Conditions for safe storage, including any incompatibilities**

Store in a cool, dry, well-ventilated area away from sources of ignition, oxidizing agents, strong acids, foodstuffs, and clothing. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. Ensure that storage conditions comply with applicable local and national regulations. For information on the design of the storeroom, reference should be made to Australian Standard AS1940 – The storage and handling of flammable and combustible liquids.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Occupational exposure limit values**

No exposure standards have been established for this material. However, the available exposure limits for ingredients are listed below:

Fiberglass  
TWA: 2 mg/m<sup>3</sup> (respirable dust)

Talc  
TWA: 2.5 mg/m<sup>3</sup>

Titanium dioxide  
TWA: 10 mg/m<sup>3</sup>

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

**Biological Limit Values**

No biological limits allocated.

**Appropriate Engineering Controls**

Provide sufficient ventilation to keep airborne levels below the exposure limits or as low as possible. Where fumes, dusts or vapours are generated, particularly in enclosed areas, and natural ventilation is inadequate, a flameproof exhaust ventilation system is required. Refer to relevant regulations for further information concerning ventilation requirements.

**Respiratory Protection**

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

**Eye Protection**

Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 – Eye Protectors for Industrial Applications.

**Hand Protection**

Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances, i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves – Selection, use and maintenance.

**Body Protection**

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Properties	Description	Properties	Description
Form	Paste	Appearance	Paste in metal tube
Color	Not available	Odor	Not available



<b>Decomposition Temperature</b>	Not available	<b>Melting Point</b>	Not available
<b>Boiling Point</b>	Not available	<b>Solubility in Water</b>	Not available
<b>Specific Gravity</b>	Not available	<b>pH</b>	Not available
<b>Vapour Pressure</b>	Not available	<b>Vapour Density (Air=1)</b>	Not available
<b>Evaporation Rate</b>	Not available	<b>Odour Threshold</b>	Not available
<b>Viscosity</b>	Not available	<b>Partition Coefficient: n-octanol / water</b>	Not available
<b>Flash Point</b>	Not available	<b>Flammability</b>	Combustible
<b>Auto-Ignition Temperature</b>	Not available	<b>Flammable Limits - Lower</b>	Not available
<b>Flammable Limits - Upper</b>	Not available		

## 10. STABILITY AND REACTIVITY

### Chemical Stability

Stable under normal conditions of storage and handling.

### Reactivity and Stability

Reacts with incompatible materials

### Conditions to Avoid

Heat, open flames and other sources of ignition.

### Incompatible materials

Strong oxidizing agents.

### Hazardous Decomposition Products

Under fire conditions this product may emit toxic and/or irritating fumes and gases including carbon monoxide, carbon dioxide and oxides of nitrogen.

### Possibility of hazardous reactions

Not available

### Hazardous Polymerization

Not available

## 11. TOXICOLOGICAL INFORMATION

### Toxicology Information

No toxicity data available for this material.

### Ingestion

Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

### Inhalation

Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.

### Skin

May be irritating to skin. The symptoms may include redness, itching and swelling.

### Eye

May be irritating to eyes. The symptoms may include redness, itching and tearing.

### Respiratory sensitization

Not expected to be a respiratory sensitizer.

### Skin Sensitization

Not expected to be a skin sensitizer.



**Germ cell mutagenicity**

Not considered to be a mutagenic hazard.

**Carcinogenicity**

Not considered to be a carcinogenic hazard.

Talc is listed as a Group 3: Not classifiable as to carcinogenicity to humans according to International Agency for Research on Cancer (IARC).

Titanium dioxide is listed as a group 2B: Possibly carcinogenic to humans according to International Agency for Research on Cancer (IARC).

**Reproductive Toxicity**

Not considered to be toxic to reproduction.

**STOT-single exposure**

Not expected to cause toxicity to a specific target organ.

**STOT-repeated exposure**

Not expected to cause toxicity to a specific target organ.

**Aspiration Hazard**

Not expected to be an aspiration hazard.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

No ecological data available for this material.

**Persistence and degradability**

Not available

**Mobility**

Not available

**Bioaccumulative Potential**

Not available

**Other Adverse Effects**

Not available

**Environmental Protection**

Prevent this material entering waterways, drains and sewers.

## 13. DISPOSAL CONSIDERATIONS

**Disposal considerations**

The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.

## 14. TRANSPORT INFORMATION

**Transport Information**

Road and Rail Transport (ADG Code):

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code)(7<sup>th</sup> edition).

Marine Transport (IMO/IMDG):

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.



Air Transport (ICAO/IATA):

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

**U.N. Number**

None Allocated

**UN proper shipping name**

None Allocated

**Transport hazard class(es)**

None Allocated

**Special Precautions for User**

Not available

**IMDG Marine Pollutant**

No

**Transport in Bulk**

Not available

## 15. REGULATORY INFORMATION

**Regulatory Information**

Not classified as Hazardous according to the Globally Harmonized System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

**Poisons Schedule**

S5

## 16. OTHER INFORMATION

**Date of preparation or last revision of SDS**

SDS Created: January 2017

**References**

- Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.
- Standard for the Uniform Scheduling of Medicines and Poisons.
- Australian Code for the Transport of Dangerous Goods by Road & Rail.
- Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.
- Workplace exposure standards for airborne contaminants, Safe work Australia.
- American Conference of Industrial Hygienists (ACGIH).
- Globally Harmonized System of classification and labelling of chemicals.

END OF SDS

Copyright in the source code of the HTML, PDF, XMI, XFO and any other electronic files rendered by an infosafe system for infosafe SDS displayed is the intellectual property of J-B Weld Company LLC USA.

Copyright in the layout, presentation and appearance of each infosafe SDS displayed is the intellectual property of J-B Weld Company LLC USA.

The compilation of SDS's displayed is the intellectual property of J-B Weld Company LLC USA.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or license or for inclusion as part of a collection of SDS without the express written consent of J-B Weld Company LLC USA.

